

SSC JE

**Previous Year Paper
(Civil) Paper-II**

04 Dec, 2023 Shift 1

Junior Engineer Civil Mechanical and Electrical Examination 2023 Paper II

Roll Number	
Candidate Name	
Venue Name	
Exam Date	04/12/2023
Exam Time	9:00 AM - 11:00 AM
Subject	Junior Engineer 2023 Paper II Civil

Section : **General Engineering Civil And Structural**

Q.1 Calculate the annual depreciation of a property, whose original cost is ₹30,00,000. Consider its scrape value as ₹3,00,000 after 30 years. Use the straight-line method.

- Ans  1. ₹93,000
-  2. ₹90,000
-  3. ₹87,000
-  4. ₹82,000

Question ID : **264330184869**
Option 1 ID : **264330724179**
Option 2 ID : **264330724178**
Option 3 ID : **264330724177**
Option 4 ID : **264330724176**
Status : **Answered**
Chosen Option : **2**

Q.2 Determine the volume of coarse aggregate (in m³ units), volume of fine aggregate (in m³ units) and cement (in kg units), respectively, for preparing 1 m³ of 1 : 2 : 4 (by volume) of concrete. (Assume 1 m³ of freshly mixed concrete corresponds to 1.54 m³ dry volume of concrete. Take 1 m³ of cement is equal to 1500 kg by weight.)

- Ans  1. 1.32 m³; 0.61 m³; 412.5 kg
-  2. 0.96 m³; 0.48 m³; 247.5 kg
-  3. 0.44 m³; 0.22 m³; 165 kg
-  4. 0.88 m³; 0.44 m³; 330 kg

Question ID : **264330185060**
Option 1 ID : **264330724942**
Option 2 ID : **264330724943**
Option 3 ID : **264330724941**
Option 4 ID : **264330724940**
Status : **Answered**
Chosen Option : **4**

Q.3

Ans  1.

Estimate on the basis rate per unit length of wall and length of walls of hospital

 2.

Estimate on the basis of rate per bed, and number of beds in the hospital

 3.

Estimate on the basis of the plinth area unit rate and plinth area of hospital

 4.

Estimate on the basis of each item of the work in the building and their respective unit rates

Question ID : **264330185014**

Option 1 ID : **264330724758**

Option 2 ID : **264330724756**

Option 3 ID : **264330724757**

Option 4 ID : **264330724759**

Status : **Answered**

Chosen Option : **1**

Q.4 Study the given statements P and Q, based on the plasticity index of soils and select the most appropriate option with respect to the correctness of the statements.

P. The plasticity index of a soil is a measure of the amount of clay in the soil.

Q. When silt is added to clay, the plasticity index of the resulting soil increases.

Ans  1. Neither P nor Q

 2. Q only

 3. Both P and Q

 4. P only

Question ID : **264330185033**

Option 1 ID : **264330724835**

Option 2 ID : **264330724833**

Option 3 ID : **264330724834**

Option 4 ID : **264330724832**

Status : **Answered**


Chosen Option : **4**

Q.5 In the design of a two-way slab, the flexural reinforcement required in a shorter span is found to be $200 \text{ mm}^2/\text{m}$. Calculate the required spacing if steel bars of diameter 8 mm are to be used. Ignore the spacing of reinforcement based on other criteria's and calculate only based on the given information.

- Ans
- ✗ 1. 267.23 mm
 - ✗ 2. 236.87 mm
 - ✗ 3. 194.65 mm
 - ✓ 4. 251.32 mm

Question ID : 264330184922
Option 1 ID : 264330724391
Option 2 ID : 264330724388
Option 3 ID : 264330724390
Option 4 ID : 264330724389
Status : Not Answered
Chosen Option : --

Q.6 A two-roomed building is shown in the figure. Calculate the quantity of lime concrete foundation (PCC). The width of PCC 1.1 m is mentioned in figure.



- Ans
- ✗ 1. 9.56 m^3
 - ✗ 2. 14.66 m^3
 - ✗ 3. 10.53 m^3
 - ✓ 4. 12.87 m^3

Question ID : 264330184944
Option 1 ID : 264330724476
Option 2 ID : 264330724479
Option 3 ID : 264330724477
Option 4 ID : 264330724478
Status : Answered
Chosen Option : 4

Q.7 Consider the below statements with respect to asbestos and identify the correct option.

Statement A: When asbestos is heated below 550°C , asbestos loses its elasticity and strength and becomes brittle but restores its properties on cooling.

Statement B: Asbestos molecules are strongly bound together only in one direction, whereas the lateral bond with adjacent molecules is quite weak.

- Ans**
- ☒ 1. Statement B is correct, and statement A is incorrect.
 - ☐ 2. Both statements are correct.
 - ☐ 3. Both statements are incorrect.
 - ☐ 4. Statement A is correct, and statement B is incorrect.

Question ID : 264330184933

Option 1 ID : 264330724433

Option 2 ID : 264330724434

Option 3 ID : 264330724435

Option 4 ID : 264330724432

Status : **Not Attempted and Marked For Review**

Chosen Option : --

Q.8 Calculate the limiting moment of resistance in accordance with the limit state design of a singly reinforced rectangular beam whose width is 200 mm and effective depth is 400 mm. Consider that the grade of steel is Fe415 and that of concrete is M20.

- Ans**
- ☐ 1. 75.96 kN-m
 - ☐ 2. 69.98 kN-m
 - ☐ 3. 96.52 kN-m
 - ☒ 4. 88.30 kN-m

Question ID : 264330184923

Option 1 ID : 264330724393

Option 2 ID : 264330724392

Option 3 ID : 264330724395

Option 4 ID : 264330724394

Status : **Answered**

Chosen Option : 4

Q.9 Study the given statements (S1, and S2) pertaining to the permeability of soils and select the most appropriate option with respect to the correctness of the statements.

S1 : Coefficient of permeability of a soil is directly proportional to the square of the particle size.

S2 : Permeability of a partially saturated soil is greater than that of a fully saturated soil.

- Ans** ☒ 1. S1 is true and S2 is false
☐ 2. S1 is false and S2 is true
☐ 3. Both S1 and S2 are true
☐ 4. Both S1 and S2 are false

Question ID : 264330185029

Option 1 ID : 264330724817

Option 2 ID : 264330724818

Option 3 ID : 264330724816

Option 4 ID : 264330724819

Status : Answered

Chosen Option : 1

Q.10 A residential building fetches a monthly gross rent of ₹12,000. The annual outgoings in the form of taxes and other contingencies is ₹12,000. The cost of land comes to ₹6,00,000. Estimate the total value of property (in ₹) on a yearly basis. Assume the rate of interest as 6% per annum.

- Ans** ☐ 1. 22,00,380
☐ 2. 29,88,000
☒ 3. 28,00,440
☐ 4. 7,32,550

Question ID : 264330185019

Option 1 ID : 264330724776

Option 2 ID : 264330724779

Option 3 ID : 264330724777

Option 4 ID : 264330724778

Status : Answered

Chosen Option : 3

Q.11 Identify the type of weld made between two plates shown in the figure below.



- Ans** ☐ 1. Continuous fillet weld
☒ 2. Groove weld
☐ 3. Flat fillet weld
☐ 4. Lap weld

Question ID : 264330184927

Option 1 ID : 264330724409

Option 2 ID : 264330724408


Option 3 ID : 264330724410

Option 4 ID : 264330724411

Status : Answered

Chosen Option : 2

Q.12 Identify the type of lacing/batten system shown in the figure below.



- Ans**
- ☒ 1. Single flat batten intersecting
 - ☒ 2. Double flat batten intersecting
 - ☒ 3. Double flat lacing intersecting
 - ☒ 4. Single flat lacing intersecting

Question ID : 264330184926

Option 1 ID : 264330724407

Option 2 ID : 264330724406

Option 3 ID : 264330724404

Option 4 ID : 264330724405

Status : Answered

Chosen Option : 3

Q.13 Study the given statements (S1, S2) about centrifugal pumps and select the most appropriate option with respect to the correctness of the statements.

S1 : The operation of pumps connected in series (more than one impeller in the same shaft) increase the flow rate.

S2 : The operation pumps connected in parallel allow the head to increase.

- Ans**
- ☒ 1. S1 is true and S2 is false
 - ☒ 2. S1 is false and S2 is true
 - ☒ 3. Both S1 and S2 are true
 - ☒ 4. Both S1 and S2 are false

Question ID : 264330185036

Option 1 ID : 264330724845

Option 2 ID : 264330724846

Option 3 ID : 264330724844

Option 4 ID : 264330724847

Status : Answered

Chosen Option : 4

Q.14

- Ans
- ☒ 1. 12 Pe/bd^3
 - ☒ 2. 6 Pe/bd^2
 - ☒ 3. 3 Pe/bd^2
 - ☒ 4. 24 Pe/bd^2

Question ID : 264330184912

Option 1 ID : 264330724349

Option 2 ID : 264330724348

Option 3 ID : 264330724351

Option 4 ID : 264330724350

Status : Answered

Chosen Option : 2

Q.15 The unit of measurement used for estimating the quantity of expansion joint is _____.

- Ans
- ☒ 1. running metre
 - ☒ 2. quintal
 - ☒ 3. cubic metres
 - ☒ 4. square metres

Question ID : 264330184864

Option 1 ID : 264330724156

Option 2 ID : 264330724158

Option 3 ID : 264330724159

Option 4 ID : 264330724157

Status : Answered

Chosen Option : 1

Q.16 Which of the following minor losses in pipe flow is taken as $\frac{v^2}{2g}$?

(Consider that 'v' is velocity of the liquid in the pipe and 'g' is acceleration due to gravity.)

- Ans
- ☒ 1. Loss of head at the exit of the pipe
 - ☒ 2. Loss of head at the entrance of the pipe with a sharp-cornered entrance
 - ☒ 3. Loss of head due to obstruction in the pipe
 - ☒ 4. Loss of head due to friction

Question ID : 264330184887

Option 1 ID : 264330724248

Option 2 ID : 264330724249

Option 3 ID : 264330724251

Option 4 ID : 264330724250

Status : Answered

Chosen Option : 1

Q.17

- Ans ☒ 1. 1.5
☐ 2. 0.5
☐ 3. 2.0
☐ 4. 0.8

Question ID : 264330184995

Option 1 ID : 264330724681

Option 2 ID : 264330724682

Option 3 ID : 264330724683

Option 4 ID : 264330724680

Status : Answered

Chosen Option : 2

Q.18 Read the given statements (S1, S2) pertaining to structural plywood as per IS : 10701 -2012 and select the most appropriate option with respect to the correctness of the statements.

S1 : The moisture content of finished plywood boards shall be in the range 5% to 15%.

S2 : The tensile strength and compressive strength across the grain shall be greater than that along the grain.

- Ans ☐ 1. S1 is false and S2 is true
☒ 2. S1 is true and S2 is false
☐ 3. Both S1 and S2 are true
☐ 4. Both S1 and S2 are false

Question ID : 264330185006

Option 1 ID : 264330724726

Option 2 ID : 264330724725

Option 3 ID : 264330724724

Option 4 ID : 264330724727

Status : Answered

Chosen Option : 2

Q.19 The maximum water content at which reduction in the water content will NOT cause a decrease in the volume of soil mass is known as _____ of soil sample.

- Ans ☒ 1. shrinkage limit
☐ 2. liquidity index
☐ 3. liquid limit
☐ 4. plastic limit

Question ID : 264330184881

Option 1 ID : 264330724226

Option 2 ID : 264330724227

Option 3 ID : 264330724225

Option 4 ID : 264330724224

Status : Answered

Chosen Option : 1

Q.20 Consider the following statements with respect to the maximum thickness of particle boards and identify the correct option.

Statement A: As per IS 3129: 1985, the maximum thickness of low-density particle boards shall be 50 mm.

Statement B: As per IS 3129: 1985, the maximum thickness of insulation particle boards shall be 40 mm.

- Ans** ☒ 1. Statement A is correct, but statement B is incorrect.
- ☒ 2. Both the statements are incorrect.
- ☒ 3. Both the statements are correct.
- ☒ 4. Statement B is correct, but statement A is incorrect.

Question ID : 264330184863

Option 1 ID : 264330724152

Option 2 ID : 264330724155


Option 3 ID : 264330724154

Option 4 ID : 264330724153

Status : Not Answered

Chosen Option : --

Q.21 Identify the instrument shown in the figure below, which is used for finding the shear strength of soil.



- Ans** ☒ 1. Direct shear test apparatus
- ☒ 2. Unconfined compression test apparatus
- ☒ 3. Vane shear test apparatus
- ☒ 4. Tri-axial shear test apparatus

Question ID : 264330184884

Option 1 ID : 264330724237

Option 2 ID : 264330724239

Option 3 ID : 264330724238

Option 4 ID : 264330724236

Status : Answered

Chosen Option : 4

Q.22 Select the option that is correct regarding the following two statements, labelled as Assertion (A) and Reason (R), with respect to permeability of soil.

Assertion (A): Permeability of soil continues to decrease with the increase in dry density of compacted soil.

Reason (R): Soil and water are compressible in nature.

Ans  1. A is true, but R is false.

 2.

Both A and R are true, but R is not the correct explanation of A.

 3. A is false, but R is true.

 4. Both A and R are true and R is the correct explanation of A.

Question ID : 264330184880

Option 1 ID : 264330724222

Option 2 ID : 264330724221

Option 3 ID : 264330724223

Option 4 ID : 264330724220

Status : Answered

Chosen Option : 2

Q.23 Match the following with respect to IS specifications on drinking water quality as per IS 10500-2012.

Characteristics	Acceptable limit
1. Calcium	a. 250 mg/l
2. Chloride	b. 75 mg/l
3. Fluoride	c. 0.2 mg/l
4. Free residual chlorine	d. 1.0 mg/l

Ans  1. 1-d, 2-a, 3-b, 4-c

 2. 1-b, 2-d, 3-a, 4-c

 3. 1-a, 2-b, 3-d, 4-c

 4. 1-b, 2-a, 3-d, 4-c

Question ID : 264330184983

Option 1 ID : 264330724635

Option 2 ID : 264330724634

Option 3 ID : 264330724632

Option 4 ID : 264330724633

Status : Answered

Chosen Option : 4

Q.24 Consider the following statements P and Q, based on the testing of natural building stones, following the IS codes and select the correct option.

P. The shear strength of the test piece of natural building stone tested using Johnson shear tool is estimated as, $S = \frac{W}{2A}$ where W is the total maximum load indicated by testing machine and A is the centre cross-section area of test piece.

Q. For testing the durability of stone as per IS 1126 – 1974, the durability value of the stone shall be expressed in percentage as change in the volume of specimen.

- Ans**
- ☒ 1. Q only
 - ☒ 2. Both P and Q
 - ☒ 3. Neither P nor Q
 - ☒ 4. P only

Question ID : **264330185010**

Option 1 ID : **264330724741**

Option 2 ID : **264330724742**

Option 3 ID : **264330724743**

Option 4 ID : **264330724740**

Status : **Not Answered**

Chosen Option : --

Q.25 The following bearings were taken in a closed compass traverse.

Line	Fore bearing	Back bearing
AB	$80^{\circ} 10'$	$259^{\circ} 0'$
BC	$120^{\circ} 20'$	$301^{\circ} 50'$
CD	$170^{\circ} 50'$	$350^{\circ} 50'$
DE	$230^{\circ} 10'$	$49^{\circ} 30'$
EA	$310^{\circ} 20'$	$130^{\circ} 15'$

Calculate the corrected fore bearing of line 'DE' by assuming that the observed bearing of line 'CD' is correct.

- Ans
- ☒ 1. $230^{\circ} 15'$
 - ☒ 2. $229^{\circ} 55'$
 - ☒ 3. $230^{\circ} 5'$
 - ☒ 4. $230^{\circ} 10'$

Question ID : 264330184949

Option 1 ID : 264330724497

Option 2 ID : 264330724499

Option 3 ID : 264330724496

Option 4 ID : 264330724498

Status : Answered

Chosen Option : 2

Q.26 Identify the correctly matched pair(s) from the following based on the type of cut-back bitumen and fluxing agents used.

1. Rapid curing (RC) cut-backs : Kerosene
2. Medium curing (MC) cut-backs : Naptha or gasoline
3. Slow curing (SC) cut-backs : light oils

Ans  1. Only 3
 2. Only 1 and 2
 3. Only 1
 4. Only 1 and 3

Question ID : **264330184936**
Option 1 ID : **264330724447**
Option 2 ID : **264330724444**
Option 3 ID : **264330724446**
Option 4 ID : **264330724445**
Status : **Answered**
Chosen Option : **1**

Q.27 Match the following with respect to types of precipitation.

1. Sleet	a. It is ice coating formation when rain or drizzle comes in contact with cold object on the ground
2. Glaze	b. It is a showery precipitation in the form of irregular pellets or lumps of ice of size more than 8 mm.
3. Hail	c. They are frozen raindrops of transparent grains that are formed when rain falls through air at a sub-freezing temperature.

Ans  1. 1 – a, 2 – c, 3 – b
 2. 1 – c, 2 – b, 3 – a
 3. 1 – c, 2 – a, 3 – b
 4. 1 – b, 2 – a, 3 – c

Question ID : **264330184893**
Option 1 ID : **264330724274**
Option 2 ID : **264330724275**
Option 3 ID : **264330724272**
Option 4 ID : **264330724273**
Status : **Answered**
Chosen Option : **3**

Q.28 Match the items under List 1 (Type of canals) with those under List 2 (Details pertaining to different types of canals).

List 1	List 2
P. Ridge Canal	1. Aligned roughly at right angles to the contour of area, neither on a watershed nor valley, does not intercept any cross-drainage.
Q. Contour canal	2. Draw supplies from a river when there is high stage in river, not provided with head works for diversion of river water to canal.
R. Side slope canal	3. Aligned along a watershed, can command areas on both banks of canal.
S. Inundation canal	4. Aligned nearly parallel to the contours of the area, irrigation possible on one side of the canal only.

- Ans**
- ✗ 1. P – 3, Q – 1, R – 2, S – 4
 - ✗ 2. P – 1, Q – 3, R – 4, S – 2
 - ✗ 3. P – 2, Q – 4, R – 3, S – 1
 - ✓ 4. P – 3, Q – 4, R – 1, S – 2

Question ID : 264330185045

Option 1 ID : 264330724883

Option 2 ID : 264330724880

Option 3 ID : 264330724881

Option 4 ID : 264330724882

Status : Answered

Chosen Option : 4

Q.29 Which of the following is NOT the effect of noise?

- Ans**
- ✗ 1. High blood pressure
 - ✓ 2. Fluorosis
 - ✗ 3. Hearing loss
 - ✗ 4. Sleeplessness

Question ID : 264330184986

Option 1 ID : 264330724646

Option 2 ID : 264330724647





Option 3 ID : 264330724644

Option 4 ID : 264330724645

Status : Answered

Chosen Option : 2

Q.30 Identify the correct pairs from the following with respect to the tests used to find the desirable properties of bitumen.

Tests on Bitumen	Test Setup (Full or Partial)	Tests on Bitumen	Test Setup (Full or Partial)
1. Viscosity Test		3. Penetration test	
2. Softening point test		4. Ductility test	

- Ans**
- ✗ 1. Only 1, 3 and 4
 - ✗ 2. Only 2, 3 and 4
 - ✓ 3. All of 1, 2, 3 and 4
 - ✗ 4. Only 1, 2 and 4

Question ID : 264330184859
Option 1 ID : 264330724137
Option 2 ID : 264330724136
Option 3 ID : 264330724139
Option 4 ID : 264330724138
Status : Answered
Chosen Option : 2

Q.31 Consider the below statements with respect to cement concrete and identify the correct statement(s).

- i. Size and shape of aggregates used in making concrete influence the workability of concrete.
- ii. As the water cement ratio in making concrete increases, the strength of concrete increases.
- iii. Maturity of concrete is independent of temperature at which it is cured.

- Ans**
- ✗ 1. i and ii
 - ✗ 2. Only ii
 - ✗ 3. i and iii
 - ✓ 4. Only i

Question ID : 264330184992
Option 1 ID : 264330724669
Option 2 ID : 264330724671
Option 3 ID : 264330724668
Option 4 ID : 264330724670
Status : Answered
Chosen Option : 4

Q.32 Select the option that is correct regarding the following two statements, labelled as Assertion (A) and Reason (R).

Assertion (A): Copper sulphate should not be used for control of aquatic weeds, except for the algae.

Reason (R): The concentration of copper sulphate required to destroy the vegetation will assuredly kill any fish present in water.

Ans  1. A is true, but R is false.

 2.

Both A and R are true, but R is not the correct explanation of A.

 3. A is false, but R is true.

 4.

Both A and R are true and R is the correct explanation of A.

Question ID : 264330184906

Option 1 ID : 264330724326

Option 2 ID : 264330724325

Option 3 ID : 264330724327

Option 4 ID : 264330724324

Status : **Not Attempted and
Marked For Review**

Chosen Option : --

Q.33 A crop having a base period of 120 days requires the following depth of water application in the planting stage, vegetation stage, flowering stage, and maturity stage as 20 cm, 32 cm, 25 cm and 13 cm, respectively. Estimate the duty of irrigation water in ha/cumec units.

Ans  1. 848

 2. 648

 3. 1346

 4. 1152

Question ID : 264330185039

Option 1 ID : 264330724859

Option 2 ID : 264330724857

Option 3 ID : 264330724858

Option 4 ID : 264330724856

Status : **Answered**

Chosen Option : 4

Q.34

Ans ☒ 1.

Prismoidal formula is also known as Simpson's rule for volume.

☒ 2.

It is necessary to have an odd number of cross-sections to apply prismoidal formula.

☒ 3.

The ratio of volume calculated by end area formula and the prismoidal formula is called as the 'Prismoidal correction'.

☒ 4.

If there is an even number of cross sections, the end strip must be treated separately, and volume between the remaining sections may be calculated by prismoidal formula.

Question ID : 264330184954

Option 1 ID : 264330724516

Option 2 ID : 264330724517

Option 3 ID : 264330724519

Option 4 ID : 264330724518

Status : Answered

Chosen Option : 1

Q.35 In saturated soils, the initial consolidation is mainly due to _____.

Ans ☒ 1. compression of solid particles

☒ 2. expulsion of air in voids

☒ 3. compression of air in voids

☒ 4. compression of water molecules

Question ID : 264330184960

Option 1 ID : 264330724540

Option 2 ID : 264330724541

Option 3 ID : 264330724543

Option 4 ID : 264330724542

Status : Answered

Chosen Option : 2

Q.36 Consider the following statements with respect to proportioning of flanges in a plate girder and identify the correct option.

Statement A: When the moment-resisting capacity of a plate girder is to be increased, the flange cover plates may be provided over the flange angles.

Statement B: The flange plates shall be thicker than the flange angles in a riveted/bolted plate girder.

Ans ☒ 1. Both the statements are correct.

☒ 2. Statement A is correct, but statement B is incorrect.

☒ 3. Both the statements are incorrect.

☒ 4. Statement B is correct, but statement A is incorrect.

Question ID : 264330184928

Option 1 ID : 264330724414

Option 2 ID : 264330724412

Option 3 ID : 264330724415

Option 4 ID : 264330724413

Status : Answered

Chosen Option : 2

Q.37 Identify the correct pairs from the following with respect to the minimum road way width in a mountainous and steep terrain.

Road Type	Minimum Road Way Width
Single-lane major district roads	5.75 m
Single-lane other district roads	4.75 m
Single-lane village roads	4.00 m

- Ans**  1. Only 1 and 3
 2. Only 2 and 3
 3. 1, 2 and 3
 4. Only 1 and 2

Question ID : **264330184902**
Option 1 ID : **264330724308**
Option 2 ID : **264330724310**
Option 3 ID : **264330724311**
Option 4 ID : **264330724309**
Status : **Not Answered**
Chosen Option : --

Q.38 A timber test specimen of size 50 × 50 mm in cross-section and 150 mm in length was tested for its specific gravity. If the specimen weighs 250 g and has 15% of moisture content, calculate its specific gravity by accounting the moisture content.

- Ans**  1. 0.667
 2. 0.579
 3. 0.596
 4. 0.625

Question ID : **264330184932**
Option 1 ID : **264330724428**
Option 2 ID : **264330724429**
Option 3 ID : **264330724430**
Option 4 ID : **264330724431**
Status : **Answered**
Chosen Option : 1

Q.39

- Ans
- ☒ 1. Shear modulus
 - ☒ 2. Young's modulus
 - ☒ 3. Poisson's ratio
 - ☒ 4. Modular ratio

Question ID : 264330184999

Option 1 ID : 264330724699

Option 2 ID : 264330724696

Option 3 ID : 264330724697

Option 4 ID : 264330724698

Status : Answered

Chosen Option : 2

Q.40 If the amount of annuity begins at some future date after a number of years, it is known as _____.

- Ans
- ☒ 1. deferred annuity
 - ☒ 2. annuity due
 - ☒ 3. annuity certain
 - ☒ 4. perpetual annuity

Question ID : 264330185016

Option 1 ID : 264330724764

Option 2 ID : 264330724766

Option 3 ID : 264330724767

Option 4 ID : 264330724765

Status : Answered

Chosen Option : 3

Q.41 For a steady, ideal flow of an incompressible fluid, the total energy at any point of the fluid is constant. This is called _____.

- Ans
- ☒ 1. the moment of the momentum equation
 - ☒ 2. Euler's equation
 - ☒ 3. the momentum equation
 - ☒ 4. Bernoulli's equation

Question ID : 264330184889

Option 1 ID : 264330724259

Option 2 ID : 264330724256

Option 3 ID : 264330724257

Option 4 ID : 264330724258

Status : Answered

Chosen Option : 4

Q.42 Select the option that is true regarding the following two statements labelled Assertion (A) and Reason (R).

(A) : For horizontal curves, the centrifugal ratio increases along the length of the transition curve.

(R) : In a horizontal curve, the superelevation is provided at an increasing rate with zero at the start to the maximum value at the end of transition curve.

Ans ☒ 1. A is false, but R is true

☒ 2. Both A and R are true and R is the correct explanation of A

☒ 3. A is true, but R is false

☒ 4.

Both A and R are true, but R is not the correct explanation of A

Question ID : 264330185046

Option 1 ID : 264330724887

Option 2 ID : 264330724884

Option 3 ID : 264330724886

Option 4 ID : 264330724885

Status : Answered

Chosen Option : 2

Q.43 The rainfall on five successive days on a catchment was 2, 6, 9, 5 and 3 (in cm units). If the ϕ -index for the storm is taken as 3 cm/day, the total direct runoff from the catchment will be:

Ans ☒ 1. 10 cm

☒ 2. 11 cm

☒ 3. 22 cm

☒ 4. 20 cm

Question ID : 264330185042

Option 1 ID : 264330724868

Option 2 ID : 264330724870

Option 3 ID : 264330724871

Option 4 ID : 264330724869

Status : Answered

Chosen Option : 2

Q.44 Textural classification of soil is based on:

Ans ☒ 1. consistency limits only

☒ 2. grain size and consistency limits

☒ 3. plasticity index

☒ 4. grain size only

Question ID : 264330185028

Option 1 ID : 264330724812

Option 2 ID : 264330724814

Option 3 ID : 264330724813

Option 4 ID : 264330724815

Status : Answered

Chosen Option : 4

Q.45 Match the items under List 1 (Members used for) with those under List 2 (Name of member).

List 1	List 2
P. Member supporting roof in a building	1. Tie
Q. Tension member in a roof truss	2. Boom
R. Compression member in a roof truss	3. Strut
S. Compression member in a crane	4. Joist

Ans  1. P – 4, Q – 2, R – 1, S – 3

 2. P – 4, Q – 1, R – 3, S – 2

 3. P – 1, Q – 4, R – 2, S – 3

 4. P – 1, Q – 2, R – 3, S – 4

Question ID : **264330185067**

Option 1 ID : **264330724969**

Option 2 ID : **264330724971**

Option 3 ID : **264330724968**

Option 4 ID : **264330724970**

Status : **Answered**

Chosen Option : **2**

Q.46 Calculate the Reynolds number if the kinematic viscosity of water is $0.01 \times 10^{-4} \text{ m}^2/\text{s}$, which is flowing through a pipe of diameter 200 mm with the velocity of 5 m/s.

Ans  1. 1×10^6

 2. 1.6×10^6

 3. 0.5×10^6

 4. 2.2×10^6

Question ID : **264330184888**

Option 1 ID : **264330724252**

Option 2 ID : **264330724255**

Option 3 ID : **264330724253**

Option 4 ID : **264330724254**

Status : **Answered**

Chosen Option : **1**

Q.47

- Ans  1. SM
 2. SW
 3. GW
 4. GC

Question ID : 264330184958

Option 1 ID : 264330724535

Option 2 ID : 264330724534

Option 3 ID : 264330724532

Option 4 ID : 264330724533

Status : Answered

Chosen Option : 2

Q.48 In case of slenderness limits, according to IS 456-2000, the ratio of unsupported length (l) to the least lateral dimension (d) of a column should not exceed a value of _____.

- Ans  1. 30
 2. 75
 3. 60
 4. 40

Question ID : 264330185001

Option 1 ID : 264330724704

Option 2 ID : 264330724707

Option 3 ID : 264330724706

Option 4 ID : 264330724705

Status : Answered

Chosen Option : 3

Q.49 Select the air pollutant that does NOT belong to the category of secondary air pollutants.

- Ans  1. Photochemical smog
 2. Ozone
 3. PAN (Peroxyacetyl nitrate)
 4. Halogens

Question ID : 264330185052

Option 1 ID : 264330724908

Option 2 ID : 264330724909

Option 3 ID : 264330724911

Option 4 ID : 264330724910

Status : Answered

Chosen Option : 1

Q.50

- Ans
- ☒ 1. 4.22 m
 - ☒ 2. 4.34 m
 - ☒ 3. 3.44 m
 - ☒ 4. 3.66 m

Question ID : 264330184900

Option 1 ID : 264330724302

Option 2 ID : 264330724303


Option 3 ID : 264330724300

Option 4 ID : 264330724301

Status : Not Answered

Chosen Option : --

Q.51 Calculate the slope at free end of a cantilever beam of length $l = 5$ m subjected to a uniformly varying load with intensity varying from 0 kN/m (at B) to 20 kN/m (at A) as shown in figure. Consider that the flexural rigidity (EI) of the beam as constant throughout its length.



- Ans
- ☒ 1. $\frac{129.27}{EI}$
 - ☒ 2. $\frac{64.64}{EI}$
 - ☒ 3. $\frac{104.16}{EI}$
 - ☒ 4. $\frac{88.58}{EI}$

Question ID : 264330184991

Option 1 ID : 264330724667

Option 2 ID : 264330724664

Option 3 ID : 264330724666

Option 4 ID : 264330724665

Status : Answered

Chosen Option : 3

Q.52

- Ans
- ☒ 1. Permeability test
 - ☒ 2. Compaction test
 - ☒ 3. Consolidation test
 - ☒ 4. Shear strength test

Question ID : 264330185030

Option 1 ID : 264330724823

Option 2 ID : 264330724821

Option 3 ID : 264330724820

Option 4 ID : 264330724822

Status : Answered

Chosen Option : 2

Q.53 Calculate the combined correction, due to refraction and Earth's curvature, in levelling (surveying) for a distance of 2500 m.

- Ans
- ☒ 1. 0.168 m
 - ☒ 2. 0.070 m
 - ☒ 3. 0.490 m
 - ☒ 4. 0.420 m

Question ID : 264330184872

Option 1 ID : 264330724188

Option 2 ID : 264330724190

Option 3 ID : 264330724191

Option 4 ID : 264330724189

Status : Answered

Chosen Option : 4

Q.54 Select the option that is correct regarding the following two statements, labelled as Assertion (A) and Reason (R), with respect to characteristic features of contour lines.

Assertion (A): A single contour cannot split into two lines.

Reason (R): A knife-edge ridge or depression does not occur in nature.

- Ans
- ☒ 1. Both A and R are true and R is the correct explanation of A.
 - ☒ 2. A is false, but R is true.
 - ☒ 3. Both A and R are true, but R is not the correct explanation of A.
 - ☒ 4. A is true, but R is false.

Question ID : 264330184873

Option 1 ID : 264330724192

Option 2 ID : 264330724195

Option 3 ID : 264330724193

Option 4 ID : 264330724194

Status : Answered

Chosen Option : 3

Q.55 Identify the Dicken's formula used for the estimation of the peak rate of runoff Q_p (in cumec units), during a flood from a catchment area of A (in km^2 units). (C_D – Dicken's constant.)

Ans

✗ 1. $Q_p = C_D A^{3/5}$

✗ 2. $Q_p = C_D A^{2/3}$

✗ 3. $Q_p = C_D A^{1/2}$

✓ 4. $Q_p = C_D A^{3/4}$

Question ID : 264330185041

Option 1 ID : 264330724866

Option 2 ID : 264330724864

Option 3 ID : 264330724867

Option 4 ID : 264330724865

Status : Answered

Chosen Option : 4

Q.56 Identify the correctly matched pair(s) from the following based on the unit of measurement used for the estimation of different items of work.

1. Stone slab in roof: square metres

2. Cutting of trees: tonnes

3. Lime concrete in foundation: cubic metres

Ans

✗ 1. Only 1 and 2

✗ 2. 1, 2 and 3

✓ 3. Only 1 and 3

✗ 4. Only 2 and 3

Question ID : 264330184940

Option 1 ID : 264330724460

Option 2 ID : 264330724463

Option 3 ID : 264330724461

Option 4 ID : 264330724462

Status : Answered

Chosen Option : 3

Q.57 In case of volume batching followed for the manufacture of cement concrete, generally, the volume of one bag of cement is considered as _____.

Ans

✗ 1. 50 litres

✗ 2. 25 litres

✓ 3. 35 litres

✗ 4. 42 litres

Question ID : 264330184918

Option 1 ID : 264330724375

Option 2 ID : 264330724372

Option 3 ID : 264330724373

Option 4 ID : 264330724374

Status : Answered

Chosen Option : 3

Q.58

Ans

- ☐ 1. span/200 or 40 mm, whichever is less
- ☐ 2. span/350 or 40 mm, whichever is less
- ☒ 3. span/350 or 20 mm, whichever is less
- ☐ 4. span/250 or 20 mm, whichever is less

Question ID : 264330184921

Option 1 ID : 264330724387

Option 2 ID : 264330724386

Option 3 ID : 264330724385

Option 4 ID : 264330724384

Status : Answered

Chosen Option : 3

Q.59 Which of the following is a vehicle used in making paint?

Ans

- ☐ 1. Aluminium powder
- ☐ 2. Zinc white
- ☒ 3. Linseed oil
- ☐ 4. Antimony white

Question ID : 264330184938

Option 1 ID : 264330724454

Option 2 ID : 264330724452

Option 3 ID : 264330724455

Option 4 ID : 264330724453

Status : Answered

Chosen Option : 3

Q.60 Which of the following is an INCORRECT statement with respect to the characteristics and design factors of rigid and flexible pavements?

Ans ☐ 1.

Rigid pavements do not get deformed to the shape of the supporting layer below it.

☒ 2.

The stresses in rigid pavements are analysed by using the plastic theory, assuming that the pavement is resting over a rigid surface.

☐ 3.

The flexible pavement layers may reflect non-recoverable as well as recoverable deformations of the lower layers, including the sub-grade onto the upper layers and also the pavement surface.

☐ 4.

The lower layers of flexible pavements face stresses of lesser magnitudes as compared to the pavement surface directly under the wheel load.

Question ID : 264330184903

Option 1 ID : 264330724314

Option 2 ID : 264330724315


Option 3 ID : 264330724313

Option 4 ID : 264330724312

Status : Answered

Chosen Option : 3

Q.61 An overhanging beam CADEBF is shown in the figure below. Calculate the sum of the bending moment values at A and B. Ignore the sign conventions.



- Ans
- ☒ 1. 16.78 kN-m
 - ☒ 2. 10.00 kN-m
 - ☒ 3. 12.50 kN-m
 - ☒ 4. 13.50 kN-m

Question ID : 264330184911

Option 1 ID : 264330724346

Option 2 ID : 264330724344

Option 3 ID : 264330724347

Option 4 ID : 264330724345

Status : Answered

Chosen Option : 4

Q.62 As per IS-456-2000, for ultimate limit states, the partial factor of safety assigned for concrete is _____.

- Ans
- ☒ 1. 1.15
 - ☒ 2. 1.5
 - ☒ 3. 0.36
 - ☒ 4. 0.87

Question ID : 264330184996

Option 1 ID : 264330724685

Option 2 ID : 264330724686


Option 3 ID : 264330724684

Option 4 ID : 264330724687

Status : Answered

Chosen Option : 2

Q.63 A hydraulic press has a ram of cross-section area 30×30 cm and a plunger of cross-section area 4×4 cm as shown in figure. Find the force 'F' required to lift the weight 'W' = 30 kN.



- Ans
- ☒ 1. 481.22 N
 - ☒ 2. 589.58 N
 - ☒ 3. 232.88 N
 - ☒ 4. 533.33 N

Question ID : 264330184964

Option 1 ID : 264330724557

Option 2 ID : 264330724559

Option 3 ID : 264330724556

Option 4 ID : 264330724558

Status : Answered

Chosen Option : 4

Q.64 Match the following.

1. Storm water inlets	a. Provided to admit the surface runoff to sewers
2. Catch basins	b. Provided at the head of sewers
3. Flushing manholes	c. Provided to stop the entry of heavy debris present in the storm water into sewers

Ans  1. 1 – a, 2 – b, 3 – c

 2. 1 – a, 2 – c, 3 – b

 3. 1 – c, 2 – a, 3 – b

 4. 1 – c, 2 – b, 3 – a

Question ID : 264330184907

Option 1 ID : 264330724330

Option 2 ID : 264330724331

Option 3 ID : 264330724328

Option 4 ID : 264330724329

Status : Answered

Chosen Option : 2

Q.65 Match the angles under List 1 (whole circle bearings) with their corresponding values under List 2 (quadrantal bearings).

List 1	List 2
P. 144° 30'	1. S 54° 30' E
Q. 215° 30'	2. N 35° 30' W
R. 125° 30'	3. S 35° 30' W
S. 324° 30'	4. S 35° 30' E

Ans  1. P – 4, Q – 3, R – 1, S – 2

 2. P – 4, Q – 3, R – 2, S – 1

 3. P – 2, Q – 3, R – 2, S – 1

 4. P – 3, Q – 2, R – 1, S – 4

Question ID : 264330185024

Option 1 ID : 264330724799

Option 2 ID : 264330724798

Option 3 ID : 264330724796

Option 4 ID : 264330724797

Status : Answered

Chosen Option : 1

Q.66

- Ans
- ☐ 1. 6 m
 - ☐ 2. 2.8 m
 - ☐ 3. 3.2 m
 - ☒ 4. 3.6 m

Question ID : 264330185003

Option 1 ID : 264330724715

Option 2 ID : 264330724712

Option 3 ID : 264330724714

Option 4 ID : 264330724713

Status : Answered

Chosen Option : 4

Q.67 As per IS456: 2000, the pH value of water used for mixing and curing of cement concrete shall NOT be less than

- Ans
- ☐ 1. 7.5
 - ☐ 2. 5
 - ☒ 3. 6
 - ☐ 4. 8.5

Question ID : 264330184917

Option 1 ID : 264330724370

Option 2 ID : 264330724368

Option 3 ID : 264330724369

Option 4 ID : 264330724371

Status : Answered

Chosen Option : 3

Q.68 Identify the correct statements from the following based on IS specifications (IS: 1130-1969) regarding the marble slabs and blocks supplied.

- 1. Marble slabs shall be supplied with a minimum thickness of 20 mm.
- 2. Marble blocks shall be supplied with a maximum thickness of 100 cm.
- 3. Marble blocks shall be supplied with a minimum length of 100 cm.

- Ans
- ☒ 1. Only 1 and 2
 - ☐ 2. 1, 2 and 3
 - ☐ 3. Only 2 and 3
 - ☐ 4. Only 1 and 3

Question ID : 264330184934

Option 1 ID : 264330724436

Option 2 ID : 264330724439

Option 3 ID : 264330724438

Option 4 ID : 264330724437

Status : Answered

Chosen Option : 2

Q.69

- Ans
- ☒ 1. 3200 N/m³
 - ☒ 2. 1500 N/m³
 - ☒ 3. 2500 N/m³
 - ☒ 4. 4000 N/m³

Question ID : 264330184963

Option 1 ID : 264330724554

Option 2 ID : 264330724552

Option 3 ID : 264330724553

Option 4 ID : 264330724555

Status : Answered

Chosen Option : 3

Q.70 Match the following with respect to imposed floor loads for different occupancies as specified in IS 875(part 2)-1987.

Occupancy classification	Uniformly distributed
1. Balconies of dwelling houses	a. 2 kN/m ²
2. All rooms and kitchens of dwelling houses	b. 4 kN/m ²
3. Dining rooms, cafeterias and restaurants in hotels, hostels and boarding houses	c. 2.5 kN/m ²
4. Office rooms in hotels, hostels and boarding houses	d. 3 kN/m ²

- Ans
- ☒ 1. 1-d, 2-a, 3-b, 4-c
 - ☒ 2. 1-c, 2-a, 3-b, 4-d
 - ☒ 3. 1-d, 2-b, 3-a, 4-c
 - ☒ 4. 1-a, 2-d, 3-b, 4-c

Question ID : 264330184998

Option 1 ID : 264330724694

Option 2 ID : 264330724693

Option 3 ID : 264330724692

Option 4 ID : 264330724695

Status : Answered

Chosen Option : 4

Q.71

- Ans  1. Syenite
-  2. Limestone
-  3. Marble
-  4. Kankar

Question ID : 264330184860
Option 1 ID : 264330724143
Option 2 ID : 264330724140
Option 3 ID : 264330724141
Option 4 ID : 264330724142
Status : Answered
Chosen Option : 1

Q.72 The following statements (P, Q) are derived on the basis of precipitation values from the mass curve of rainfall of a self-recording rain gauge, given in the table. Identify the correct statement(s) and select the most appropriate option.

Time from start of rainfall (minutes)	0	15	30	45	60	75	90
Cumulative rainfall (mm)	0	6	15	15	30	35	45

P. The intensity of rainfall during the time interval (0 to 15) is more than the intensity of rainfall during the time interval (60 to 75).

Q. There is no rainfall during the time interval (30 to 45).

- Ans  1. Q only
-  2. Both P and Q
-  3. P only
-  4. Neither P nor Q

Question ID : 264330185044
Option 1 ID : 264330724877
Option 2 ID : 264330724878
Option 3 ID : 264330724876
Option 4 ID : 264330724879
Status : Answered
Chosen Option : 2

Q.73 Consider the below statements with respect to hydraulic pumps and identify the correct option.

Assertion (A): Reciprocating pumps are used for lifting oils from deep wells, as it can build up very high pressure.

Reason (R): Discharge capacity of a reciprocating pump is much greater than that of a centrifugal pump.

Ans  1. A is true but R is false.

 2.

Both A and R are true, and R is the correct explanation of A.

 3. A is false but R is true.

 4.

Both A and R are true, but R is not the correct explanation of A.

Question ID : **264330184971**

Option 1 ID : **264330724586**

Option 2 ID : **264330724584**

Option 3 ID : **264330724587**

Option 4 ID : **264330724585**

Status : **Answered**

Chosen Option : **1**

Q.74 Hirakud Dam is built across _____.

Ans  1. Kaveri River

 2. Yamuna River

 3. Krishna River

 4. Mahanadi River

Question ID : **264330184978**

Option 1 ID : **264330724615**

Option 2 ID : **264330724614**

Option 3 ID : **264330724612**

Option 4 ID : **264330724613**

Status : **Answered**

Chosen Option : **4**

Q.75 Identify the correct pairs from the following with respect to the manufacturing techniques of different types of cement.

Type of Cement	Physical or chemical properties
1. Quick-setting cement	Use of reduced gypsum content as compared to that used in ordinary Portland cement.
2. Low heat cement	Use of reduced C_2S content as compared to that used in ordinary Portland cement.
3. Sulphate-resistant cement	Cement with C_3A content not more than 5%

- Ans**  1. Only 1 and 3
 2. Only 1 and 2
 3. Only 2 and 3
 4. 1, 2 and 3

Question ID : 264330184916
Option 1 ID : 264330724366
Option 2 ID : 264330724365
Option 3 ID : 264330724364
Option 4 ID : 264330724367
Status : Answered
Chosen Option : 1

Q.76 A person constructed a warehouse at a cost of ₹4,00,000, excluding the cost of land. The warehouse will become obsolete after 10 years. Find the amount of sinking fund to be annually deposited at the rate of 5% compound interest. The scrap value of the warehouse is 10% of the cost of purchase.

- Ans**  1. ₹30,800
 2. ₹28,571
 3. ₹25,980
 4. ₹32,502

Question ID : 264330184868
Option 1 ID : 264330724172
Option 2 ID : 264330724173
Option 3 ID : 264330724174
Option 4 ID : 264330724175
Status : Answered
Chosen Option : 2

Q.77

- Ans ☒ 1. 6.3 mm, 10 mm, 12.5 mm
☒ 2. 2.36 mm, 10 mm, 12.5 mm
☒ 3. 10 mm, 12.5 mm, 20 mm
☒ 4. 2.36 mm, 6.3 mm, 12.5 mm

Question ID : 264330184854

Option 1 ID : 264330724117

Option 2 ID : 264330724116

Option 3 ID : 264330724118

Option 4 ID : 264330724119

Status : Answered

Chosen Option : 2

Q.78 Calculate the theoretical weight of a steel bar of length 8 m and diameter 20 mm. Take density of steel as 7850 kg/m³.

- Ans ☒ 1. 15.58 kg
☒ 2. 12.56 kg
☒ 3. 19.72 kg
☒ 4. 17.77 kg

Question ID : 264330184945

Option 1 ID : 264330724480

Option 2 ID : 264330724482

Option 3 ID : 264330724481

Option 4 ID : 264330724483

Status : Answered

Chosen Option : 3

Q.79 Which of the following types of canal is aligned roughly at right angles to the contours of the country?

- Ans ☒ 1. Water shed canal
☒ 2. Contour canal
☒ 3. Side slope canal
☒ 4. Ridge canal

Question ID : 264330184975

Option 1 ID : 264330724603

Option 2 ID : 264330724600


Option 3 ID : 264330724601

Option 4 ID : 264330724602

Status : Answered

Chosen Option : 3

Q.80 Locate the centroid with respect to base AB of a rectangular section shown in the figure.
Consider that a part of the circular section with diameter 150 mm is removed.



- Ans**
- ☒ 1. 112.44 mm
 - ☒ 2. 15.49 mm
 - ☒ 3. 133.68 mm
 - ☒ 4. 129.1 mm

Question ID : 264330184988

Option 1 ID : 264330724652

Option 2 ID : 264330724655

Option 3 ID : 264330724654

Option 4 ID : 264330724653

Status : Answered

Chosen Option : 1

Q.81 An offset is laid out 5° from its true direction on the field. If the scale of plotting is 20 m to 1 cm, find the maximum length of the offset so that the displacement of the point on the paper may not exceed 0.5 mm.

- Ans**
- ☒ 1. 5 m
 - ☒ 2. 9.22 m
 - ☒ 3. 11.47 m
 - ☒ 4. 13.33 m

Question ID : 264330184947

Option 1 ID : 264330724488

Option 2 ID : 264330724489

Option 3 ID : 264330724490

Option 4 ID : 264330724491

Status : Not Attempted and
Marked For Review

Chosen Option : --

Q.82

- Ans ☒ 1. 333.33 m
☒ 2. 300 m
☒ 3. 453.33 m
☒ 4. 120 m

Question ID : 264330184955

Option 1 ID : 264330724523

Option 2 ID : 264330724522

Option 3 ID : 264330724521

Option 4 ID : 264330724520

Status : Answered

Chosen Option : 2

Q.83 Select the INCORRECT statement pertaining to the lining of an irrigation canal.

- Ans ☒ 1.
Lining helps to provide a flatter hydraulic gradient to canal, and better command area.
☒ 2.
Lining minimalizes the seepage loss in the canal, more area can be irrigated.
☒ 3.
Lining increases the discharge in the canal section by increasing the velocity.
☒ 4.
Due to lining the resistance to flow increases and the velocity of flow decreases.

Question ID : 264330185040

Option 1 ID : 264330724863

Option 2 ID : 264330724860

Option 3 ID : 264330724861

Option 4 ID : 264330724862

Status : Answered

Chosen Option : 4

Q.84 Study the given statements (P, Q) pertaining to propagation of sound waves and select the most appropriate option with respect to the correctness of the statements.

P. Sound propagation from one point to another point is governed by Sabines' formula.

Q. In air, sound propagates as longitudinal waves.

- Ans ☒ 1. Q only
☒ 2. Both P and Q
☒ 3. Neither P nor Q
☒ 4. P only

Question ID : 264330185054

Option 1 ID : 264330724917

Option 2 ID : 264330724918

Option 3 ID : 264330724919

Option 4 ID : 264330724916

Status : Answered

Chosen Option : 2

Q.85

- Ans ☐ 1. Warpage
- ☒ 2. Ringall
- ☐ 3. Checks
- ☐ 4. Splitting

Question ID : 264330185007

Option 1 ID : 264330724731

Option 2 ID : 264330724730

Option 3 ID : 264330724728

Option 4 ID : 264330724729

Status : Answered

Chosen Option : 2

Q.86 Consider the following statements with respect to the effects of water logging on agricultural land and identify the correct option.

Statement A: Water logging increases the activity of soil bacteria.

Statement B: Water logging leads to growth of wild flora.

- Ans ☐ 1. Statement A is correct, but statement B is incorrect.
- ☐ 2. Both the statements are incorrect.
- ☐ 3. Both the statements are correct.
- ☒ 4. Statement B is correct, but statement A is incorrect.

Question ID : 264330184899

Option 1 ID : 264330724296

Option 2 ID : 264330724299

Option 3 ID : 264330724298

Option 4 ID : 264330724297

Status : Answered

Chosen Option : 1

Q.87 The gross bearing capacity of a strip footing 1.5 m wide located at a depth of 1.2 m in clay is 420 kN/m^2 . If the unit weight of the soil is 20 kN/m^3 , estimate the net bearing capacity in kN/m^2 units.

- Ans ☐ 1. 400
- ☐ 2. 390
- ☒ 3. 396
- ☐ 4. 366

Question ID : 264330185031

Option 1 ID : 264330724827

Option 2 ID : 264330724825

Option 3 ID : 264330724824

Option 4 ID : 264330724826

Status : Answered

Chosen Option : 3

Q.88

- Ans
- ☐ 1. 1.2 and 1.7
 - ☐ 2. 1.7 and 2.5
 - ☒ 3. 2.5 and 4.5
 - ☐ 4. 0.5 and 1.2

Question ID : 264330184891

Option 1 ID : 264330724267

Option 2 ID : 264330724265

Option 3 ID : 264330724266

Option 4 ID : 264330724264

Status : Answered

Chosen Option : 3

Q.89 In plane table surveying, Lehmann's rules are associated with:

- Ans
- ☐ 1. method of resection after orientation by compass
 - ☒ 2. method of resection by three-point problem
 - ☐ 3. solution of all type of resection problems
 - ☐ 4. method of resection by two-point problem

Question ID : 264330185021

Option 1 ID : 264330724787

Option 2 ID : 264330724786

Option 3 ID : 264330724785

Option 4 ID : 264330724784

Status : Answered

Chosen Option : 2

Q.90 The value of speed ratio of a Pelton wheel turbine varies from _____.

- Ans
- ☐ 1. 0.62 to 0.77
 - ☐ 2. 0.78 to 0.85
 - ☐ 3. 0.5 to 0.98
 - ☒ 4. 0.43 to 0.48

Question ID : 264330184969

Option 1 ID : 264330724579

Option 2 ID : 264330724577

Option 3 ID : 264330724576

Option 4 ID : 264330724578

Status : Not Answered

Chosen Option : --

Q.91 Match the items under List 1 (Components of turn out in a railway track) with those under List 2 (Details of components).

List 1	List 2
P. Stock rail	1. Tapered movable rail, at its thicker end it is attached to a running rail. Also known as <i>switch rail</i> .
Q. Crossing	2. Pair of tongue and stock rails with necessary connections and fittings
R. Tongue rail	3. Device introduced at the junction where two rails cross each other to permit the wheel flange of a railway vehicle to pass from one track to another.
S. Switch	4. Running rail against which a tongue rail operates

- Ans**  1. P – 1, Q – 2, R – 4, S – 3
-  2. P – 1, Q – 3, R – 4, S – 2
-  3. P – 4, Q – 3, R – 1, S – 2
-  4. P – 4, Q – 2, R – 1, S – 3

Question ID : **264330185048**
Option 1 ID : **264330724894**
Option 2 ID : **264330724893**
Option 3 ID : **264330724895**
Option 4 ID : **264330724892**
Status : **Answered**
Chosen Option : **2**

Q.92 French polish is a type of _____, which is used to hide the grain defects on hardwood substances.

- Ans**  1. spirit varnish
-  2. water varnish
-  3. asphalt varnish
-  4. flat varnish

Question ID : **264330184861**
Option 1 ID : **264330724144**
Option 2 ID : **264330724145**
Option 3 ID : **264330724146**
Option 4 ID : **264330724147**
Status : **Answered**
Chosen Option : **1**

Q.93 Study the following pairs (P, Q, R, S) with respect to GPS receivers used in GPS surveys and select the correct answer based on the matching.

P : GPS receivers : L-band radio processor

Q : Self-contained GPS receivers : Also known as 'GPS mice'

R : Dual-frequency receivers : Survey grade GPS, position accuracy according to differential correction within sub - centimetre

S : Carrier phase receivers: GPS receivers with 10 to 30 cm position accuracy with differential correction

- Ans**
- ☒ 1. P, S only
 - ☒ 2. P, R, S only
 - ☒ 3. P, Q only
 - ☒ 4. Q, R only

Question ID : **264330185027**

Option 1 ID : **264330724810**

Option 2 ID : **264330724811**

Option 3 ID : **264330724808**

Option 4 ID : **264330724809**

Status : **Not Answered**

Chosen Option : --

Q.94 Consider the following statements with respect to effects of air pollutants on human health and identify the INCORRECT statement.

- Ans**
- ☒ 1. Inhalation of carbon monoxide leads to reduction in the amount of oxygen delivered to organs and tissues.
 - ☒ 2. Sulphur dioxide can cause cancer and mutations and it is radioactive in nature.
 - ☒ 3. Inhalation of lead can cause mental retardation and behavioural disorders.
 - ☒ 4. Nitrogen dioxide irritates the lungs and can cause bronchitis and pneumonia.

Question ID : **264330184908**

Option 1 ID : **264330724332**

Option 2 ID : **264330724333**

Option 3 ID : **264330724335**

Option 4 ID : **264330724334**

Status : **Answered**

Chosen Option : **3**

Q.95 Consider the below statements with respect to surveying and identify the correct answer.

Statement A: Latitude of a survey line is defined as its coordinate length measured in the direction perpendicular to an assumed meridian direction.

Statement B: The type of levelling in which levels are taken on each side of a main line at right angles to that line in order to determine a vertical cross-section of the surface of the ground is called Differential levelling.

Ans  1. Both statements are incorrect.

 2. Both statements are correct.

 3. Statement B is correct, and statement A is incorrect.

 4. Statement A is correct, and statement B is incorrect.

Question ID : 264330184953

Option 1 ID : 264330724515

Option 2 ID : 264330724514

Option 3 ID : 264330724513

Option 4 ID : 264330724512

Status : Answered

Chosen Option : 1

Q.96 Identify the INCORRECT statement with respect to different types of pipe flow.

Ans  1.

The flow in a circular pipe is categorised as laminar when the Reynolds number for the flow is less than 4000.

 2.

The type of flow in which the fluid particles move along a well-defined streamline or paths, such that all the streamlines are straight and parallel to each other is known as laminar flow.

 3.

The fluid characteristics like velocity, density and pressure at a point do not change with time in case of steady flow.

 4.

The velocity of the flow at any given time does not change with respect to space in case of uniform flow.

Question ID : 264330184965

Option 1 ID : 264330724563

Option 2 ID : 264330724560

Option 3 ID : 264330724562

Option 4 ID : 264330724561

Status : Answered

Chosen Option : 1

Q.97 In the design of RCC structures, the limit state of collapse deals with _____.

Ans  1. discomfort caused by excessive deflection

 2. leakage of water in the structure

 3.

the strength of the structure under the maximum design load

 4. loss of durability

Question ID : 264330184920

Option 1 ID : 264330724383

Option 2 ID : 264330724382

Option 3 ID : 264330724380

Option 4 ID : 264330724381

Status : Answered

Chosen Option : 3

Q.98

- Ans
- ☐ 1. aluminium paint
 - ☐ 2. resin paint
 - ☒ 3. varnish
 - ☐ 4. distemper

Question ID : 264330184937

Option 1 ID : 264330724451

Option 2 ID : 264330724448

Option 3 ID : 264330724449

Option 4 ID : 264330724450

Status : Answered

Chosen Option : 3

Q.99 The ratio of Young's modulus of elasticity of two materials (E_1 to E_2) is 2.5. Find the ratio of the elongations in the two bars (δl_1 to δl_2) of these materials if they are of the same length and same area and subjected to the same force P.

- Ans
- ☐ 1. 2
 - ☐ 2. 2.5
 - ☒ 3. 0.4
 - ☐ 4. 1

Question ID : 264330185055

Option 1 ID : 264330724923

Option 2 ID : 264330724920

Option 3 ID : 264330724921

Option 4 ID : 264330724922

Status : Answered

Chosen Option : 3

Q.100 As per IS 800:2007, what is the maximum slenderness ratio for tension members (e.g. tie in roof truss) and subjected to reversal of stresses due to action of the wind or earthquake forces?

- Ans
- ☐ 1. 180
 - ☒ 2. 350
 - ☐ 3. 450
 - ☐ 4. 280

Question ID : 264330185002

Option 1 ID : 264330724708

Option 2 ID : 264330724709

Option 3 ID : 264330724711

Option 4 ID : 264330724710

Status : Answered

Chosen Option : 2